

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3481	nodes 3-D	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L2	610	L1 boards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L3	2	L2 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L4	7	nodes toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L5	72	switch (eight near4 ports) boards processors PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L6	35	((4-D or 4d or (four adj dimension\$4)) near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L7	0	L6 L5	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L8	7	(4-D near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L9	235	(host adj channel adj adapter) PCI	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L10	90	L9 (memory adj controller\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L11	14	L10 (communicat\$4 near4 direct\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L12	13	L11 (i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L13	0	L12 torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L14	108	toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L15	11	L12 node\$2	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L16	0	L15 hypercube	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L17	5	L1 motherboards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L18	7	L6 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L19	4	L18 pci	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L20	4	L18 infiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L21	0	L18 inifiband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L22	4	L18 HCA	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L23	0	L18 inifiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L24	2	L12 not L15	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L25	0	nodes motherboards toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L26	188	L2 switch ports	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L27	506	(host adj channel adj adapter)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L28	0	HCA PCI tous	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L29	8	HCA PCI torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L30	14	L9 northbridge	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L31	8	HCA PCI tor\us	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L32	17	L9 (north adj bridge)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L33	0	L30 (communicat\$4 near4 direct\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L34	1	"6735660".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L35	0	L11 (fast near4 i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L36	1	10/824874	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L37	0	switch (eight near4 ports) boards processors HCA PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L38	3481	nodes 3-D	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L39	610	L38 boards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L40	2	L39 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L41	5	L38 motherboards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L42	35	((4-D or 4d or (four adj dimension\$4)) near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L43	30	L42 hypercube	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L44	1	10/824874	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L45	235	(host adj channel adj adapter) PCI	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L46	90	L45 (memory adj controller\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L47	14	L46 (communicat\$4 near4 direct\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L48	0	L47 (fast near4 i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L49	11	L43 folded	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L50	8	L49 z-axis	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L51	6	L50 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L52	13	L47 (i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L53	11	L52 node\$2	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L54	1	"6735660".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L55	14	L45 northbridge	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L56	0	L55 (communicat\$4 near4 direct\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L57	0	HCA PCI tous	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L58	0	L53 hypercube	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L59	2	L52 not L53	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L60	17	L45 (north adj bridge)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L61	506	(host adj channel adj adapter)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L62	8	HCA PCI tor\us	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L63	1	"20010049740"	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L64	188	L39 switch ports	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L65	8	HCA PCI torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L66	108	toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L67	7	(4-D near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L68	0	L52 torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L69	72	switch (eight near4 ports) boards processors PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L70	0	L42 L69	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L71	7	L42 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L72	0	switch (eight near4 ports) boards processors HCA PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L73	4	L71 HCA	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L74	0	L71 inifiband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L75	4	L71 pci	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L76	7	nodes toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L77	4	L71 infiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L78	0	L71 infiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L79	0	nodes motherboards toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L80	0	L49 x-y-z	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L81	4	L51 (L59 or twenty-four or (twenty adj four))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L82	3	("5043938"   "5991797"   "6473827").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:29
L83	0	L49 perpendicular	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L84	15	US-5280607-\$.DID. OR US-5805785-\$.DID. OR US-6088330-\$.DID. OR US-6460149-\$.DID. OR US-6477663-\$.DID. OR US-6496941-\$.DID. OR US-6718486-\$.DID. OR US-6820221-\$.DID. OR US-6918051-\$.DID. OR US-6918063-\$.DID. OR US-6952766-\$.DID. OR US-7016299-\$.DID. OR US-7028228-\$.DID. OR US-7093004-\$.DID. or "20030009551"	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:29
L85	235	(host adj channel adj adapter) PCI	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L86	90	L85 (memory adj controller\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L87	14	L86 (communicat\$4 near4 direct\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L88	13	L87 (i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L89	11	L88 node\$2	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L90	0	L89 hypercube	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L91	35	((4-D or 4d or (four adj dimension\$4)) near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L92	7	L91 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29



## EAST Search History

L93	4	L92 pci	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L94	0	L92 infiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L95	0	nodes motherboards toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L96	3481	nodes 3-D	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L97	72	switch (eight near4 ports) boards processors PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L98	0	L91 L97	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L99	610	L96 boards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L100	235	(host adj channel adj adapter) PCI	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L101	90	L100 (memory adj controller\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L102	14	L101 (communicat\$4 near4 direct\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L103	35	((4-D or 4d or (four adj dimension\$4)) near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L104	7	L103 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L105	4	L104 pci	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L106	4	L104 infiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L107	30	L103 hypercube	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L108	11	L107 folded	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L109	0	L108 x-y-z	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L110	1	"6735660".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L111	1	10/824874	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L112	3481	nodes 3-D	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L113	610	L112 boards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L114	2	L113 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L115	8	L108 z-axis	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L116	6	L115 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L117	13	L102 (i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L118	11	L117 node\$2	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L119	14	L100 northbridge	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L120	2	L117 not L118	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L121	7	(4-D near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L122	7	nodes toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L123	15	US-5280607-\$.DID. OR US-5805785-\$.DID. OR US-6088330-\$.DID. OR US-6460149-\$.DID. OR US-6477663-\$.DID. OR US-6496941-\$.DID. OR US-6718486-\$.DID. OR US-6820221-\$.DID. OR US-6918051-\$.DID. OR US-6918063-\$.DID. OR US-6952766-\$.DID. OR US-7016299-\$.DID. OR US-7028228-\$.DID. OR US-7093004-\$.DID. or "20030009551"	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:29
L124	4	L92 infiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L125	0	L92 inifiband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L126	0	L87 (fast near4 i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L127	506	(host adj channel adj adapter)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L128	0	HCA PCI tous	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L129	8	HCA PCI tor\us	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L130	17	L85 (north adj bridge)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L131	188	L99 switch ports	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L132	14	L85 northbridge	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L133	0	L132 (communicat\$4 near4 direct\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L134	0	switch (eight near4 ports) boards processors HCA PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L135	0	L88 torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L136	0	L102 (fast near4 i/o)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L137	108	toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L138	0	L119 (communicat\$4 near4 direct\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L139	17	L100 (north adj bridge)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L140	0	HCA PCI tous	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L141	188	L113 switch ports	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L142	0	L118 hypercube	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L143	108	toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L144	0	L117 torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L145	72	switch (eight near4 ports) boards processors PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L146	506	(host adj channel adj adapter)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L147	8	HCA PCI tor\us	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L148	0	switch (eight near4 ports) boards processors HCA PCI (northbridge or (north adj bridge))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L149	0	L104 infiniband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L150	0	L103 L145	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L151	0	L104 inifiband	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L152	0	nodes motherboards toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L153	4	L116 (L120 or twenty-four or (twenty adj four))	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L154	0	L108 perpendicular	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L155	1	"6735660".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L156	2	L99 switch (eight near4 ports)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L157	7	nodes toridal	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L158	7	(4-D near3 torus)	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L159	1	10/824874	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L160	1	"20010049740"	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L161	5	L96 motherboards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29

## EAST Search History

L162	4	L92 HCA	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L163	2	L88 not L89	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L164	8	HCA PCI torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L165	5	L112 motherboards	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L166	8	HCA PCI torus	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L167	4	L104 HCA	US-PGPUB; USPAT; USOCR; IBM_TDB	AND	OFF	2007/07/12 12:29
L168	3	("5043938"   "5991797"   "6473827").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:35
L169	1	"20010046746"	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:35
L170	1	"20010046740"	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:35
L171	1	"20010049740"	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:45
L172	0	ballew-james.in.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:46
L173	5	ballew-james-d.in.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:47
L174	0	early-gary.in.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:47
L175	4	early-gary-r.in.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:50

## EAST Search History

L176	3	712/10.ccls. infiniband	US-PGPUB; USPAT; USOCR	AND	OFF	2007/07/12 12:50
------	---	-------------------------	------------------------------	-----	-----	------------------